

# **Material Safety Data Sheet**

Copyright, 2010, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a MSDS is not required for this product by the OSHA Hazard Communication Standard (29 CFR 1910.1200) because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

# SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: MANUFACTURER: DIVISION:	3M <sup>™</sup> Vinyl Tape 764, 766, 767, & 3903 3M Industrial Adhesives and Tapes Division
ADDRESS:	3M Center St. Paul, MN 55144-1000
EM	ERGENCY PHONE: 1-800-364-3577 or (651) 737-6501 (24 hours)
Issue Date: Supercedes Date:	01/14/10
<b>Document Group:</b>	26-0565-7
Product Use: Specific Use: Intended Use:	Marking/Masking Industrial use
3M <sup>™</sup> Vinyl Tape 764 3M <sup>™</sup> Hazard Marking Vin 3M <sup>™</sup> Vinyl Duct Tape 390	

## **SECTION 2: INGREDIENTS**

<u>Ingredient</u>	<u>C.A.S. No.</u>	<u>% by Wt</u>
Vinyl Backing	Trade Secret	51 - 99
Rubber Adhesive	Trade Secret	1 - 49
bis(2-Ethylhexyl)Phthalate	117-81-7	10 - 30

# **SECTION 3: HAZARDS IDENTIFICATION**

## **3.1 EMERGENCY OVERVIEW**

**Specific Physical Form:** Roll of Tape **Odor, Color, Grade:** various colored vinyl tape. **General Physical Form:** Solid **Immediate health, physical, and environmental hazards:** 

**Immediate health, physical, and environmental hazards:** The environmental properties of this product present a low environmental hazard. This product, when used under reasonable conditions and in accordance with the 3M directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

## **3.2 POTENTIAL HEALTH EFFECTS**

**Eye Contact:** No health effects are expected.

**Skin Contact:** No health effects are expected.

**Inhalation:** No health effects are expected.

**Ingestion:** No health effects are expected.

Carcinogenicity:

Ingredient bis(2-Ethylhexyl)Phthalate <u>C.A.S. No</u> 117-81-7 <u>Class Description</u> Anticipated human carcinogen <u>Regulation</u> National Toxicology Program Carcinogens

## 3.3 POTENTIAL ENVIRONMENTAL EFFECTS

This substance does not leach metals or other RCRA (Resource Conservation and Recovery Act) listed TCLP (Toxic Characteristic Leaching Procedure) hazardous substances at concentrations that would make the product a hazardous waste.

# **SECTION 4: FIRST AID MEASURES**

### 4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

**Eye Contact:** No need for first aid is anticipated.

Skin Contact: No need for first aid is anticipated.

Inhalation: No need for first aid is anticipated.

If Swallowed: No need for first aid is anticipated.

## **SECTION 5: FIRE FIGHTING MEASURES**

### 5.1 FLAMMABLE PROPERTIES

Autoignition temperature Flash Point Flammable Limits - LEL Flammable Limits - UEL Not Applicable Not Applicable Not Applicable Not Applicable

### 5.2 EXTINGUISHING MEDIA

Use fire extinguishers with class B extinguishing agents (e.g., dry chemical, carbon dioxide).

### 5.3 PROTECTION OF FIRE FIGHTERS

**Special Fire Fighting Procedures:** Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

Unusual Fire and Explosion Hazards: No unusual fire or explosion hazards are anticipated.

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# Personal precautions

Not applicable.

**Environmental procedures** Not applicable.

#### **Clean-up methods** Not applicable.

**SECTION 7: HANDLING AND STORAGE** 

### 7.1 HANDLING

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

### 7.2 STORAGE

Not applicable.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 ENGINEERING CONTROLS

Not applicable.

### 8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

#### 8.2.1 Eye/Face Protection

Avoid eye contact.

#### 8.2.2 Skin Protection

Avoid prolonged or repeated skin contact. Gloves not normally required.

#### 8.2.3 Respiratory Protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

#### 8.2.4 Prevention of Swallowing

Not an expected route of exposure.

### 8.3 EXPOSURE GUIDELINES

<u>Ingredient</u>	<u>Authority</u> <u>Type</u>	<u>Limit</u>	Additional Information
bis(2-Ethylhexyl)Phthalate	ACGIH TWA	5 mg/m3	
bis(2-Ethylhexyl)Phthalate	OSHA TWA	5 mg/m3	

#### SOURCE OF EXPOSURE LIMIT DATA:

ACGIH: American Conference of Governmental Industrial Hygienists CMRG: Chemical Manufacturer Recommended Guideline OSHA: Occupational Safety and Health Administration AIHA: American Industrial Hygiene Association Workplace Environmental Exposure Level (WEEL)

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Specific Physical Form: Odor, Color, Grade: General Physical Form: Autoignition temperature Flash Point Flammable Limits - LEL Flammable Limits - UEL Boiling point

Vapor Density

Vapor Pressure

Specific Gravity pH Melting point

Solubility in Water Evaporation rate Volatile Organic Compounds Kow - Oct/Water partition coef Percent volatile

Roll of Tape various colored vinyl tape. Solid Not Applicable Nil Not Applicable Not Applicable

Not Applicable

Not Applicable

VOC Less H2O & Exempt Solvents Viscosity Not Applicable Not Applicable

## SECTION 10: STABILITY AND REACTIVITY

Stability: Stable.

Materials and Conditions to Avoid: 10.1 Conditions to avoid None known

**10.2 Materials to avoid** None known

Hazardous Polymerization: Hazardous polymerization will not occur.

## Hazardous Decomposition or By-Products

Substance Hydrocarbons Carbon monoxide Carbon dioxide <u>Condition</u> During Combustion During Combustion During Combustion

Hazardous Decomposition: Under recommended usage conditions, hazardous decomposition products are not expected. Hazardous decomposition products may occur as a result of oxidation, heating, or reaction with another material.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

## **SECTION 12: ECOLOGICAL INFORMATION**

# ECOTOXICOLOGICAL INFORMATION

Not determined.

## CHEMICAL FATE INFORMATION

Not determined.

# SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Reclaim if feasible. If product can't be reclaimed, dispose of waste product in a sanitary landfill.

Alternatively, incinerate the waste product in an industrial, commercial, or municipal incinerator.

Since regulations vary, consult applicable regulations or authorities before disposal.

## **SECTION 14: TRANSPORT INFORMATION**

Not regulated per U.S. DOT, IATA or IMO.

**These transportation classifications are provided as a customer service.** As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M's transportation classifications are based on product formulation, packaging, 3M policies and 3M's understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and <u>not</u> the packaging, labeling, or marking requirements. The original 3M package is certified for U.S. ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.

## **SECTION 15: REGULATORY INFORMATION**

### **US FEDERAL REGULATIONS**

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

Ingredient	
bis(2-Ethylhexyl)Phthalate	

#### <u>C.A.S. No</u> <u>%</u> 117-81-7 1

<u>% by Wt</u> 10 - 30

### STATE REGULATIONS CALIFORNIA PROPOSITION 65

<u>Ingredient</u>	<u>C.A.S. No.</u>	<b>Classification</b>
bis(2-Ethylhexyl)Phthalate	117-81-7	*Male reproductive toxin
bis(2-Ethylhexyl)Phthalate	117-81-7	**Carcinogen
bis(2-Ethylhexyl)Phthalate	117-81-7	*Developmental Toxin

\* WARNING: contains a chemical or chemicals which can cause birth defects or other reproductive harm. \*\* WARNING: contains a chemical which can cause cancer.

### **CHEMICAL INVENTORIES**

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.

### INTERNATIONAL REGULATIONS

Contact 3M for more information.

#### This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### **SECTION 16: OTHER INFORMATION**

#### NFPA Hazard Classification

Health: 0 Flammability: 1 Reactivity: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Revision Changes:

Section 15: Inventories information was modified. Section 8: Exposure guidelines ingredient information was modified Section 10: Materials to avoid physical property was modified. Section 10: Conditions to avoid physical property was modified. Section 6: Environmental procedures heading was added. Section 6: Personal precautions heading was added. Section 6: Personal precautions information was added. Section 6: Methods for cleaning up information was added. Section 6: Clean-up methods heading was added. Section 6: Release measures heading was deleted. Section 15: State regulations information was deleted. Section 15: US federal regulations information was deleted.

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.

#### 3M MSDSs are available at www.3M.com

