MATERIAL SAFETY

3M

DATA SHEET 3M Center

St. Paul, Minnesota

55144-1000

1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1997, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:

- 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a MSDS is not required for this product by the OSHA Hazard Communication Standard (29 CFR 1910.1200) because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

DIVISION: ELECTRICAL PRODUCTS DIVISION

TRADE NAME:

3M ELECTRICAL TAPE 1170, 1181, 1182, 1183, 1190, 1194, 1245,

ISSUED: December 03, 1997 SUPERSEDES: June 20, 1997

DOCUMENT: 07-5271-7

C.A.S. NO.	PERCENT				
	50	- 75			
Unknown	25	- 50			
	9017-68-9 r Unknown	9017-68-9 50	9017-68-9 50 - 75 r Unknown 25 - 50		

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M ELECTRICAL TAPE 1170, 1181, 1182, 1183, 1190, 1194, 1245, 1267, 1345 December 03, 1997 _____ 2. PHYSICAL DATA (continued) APPEARANCE AND ODOR: Roll of Tape, Metal backing, Clear adhesive 3. FIRE AND EXPLOSION HAZARD DATA _____ FLASH POINT:..... N/A FLAMMABLE LIMITS - LEL:..... N/A FLAMMABLE LIMITS - UEL:..... N/A AUTOIGNITION TEMPERATURE:..... N/D EXTINGUISHING MEDIA: Water spray, Carbon dioxide SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head. UNUSUAL FIRE AND EXPLOSION HAZARDS: None known. NFPA HAZARD CODES: HEALTH: 0 FIRE: 0 REACTIVITY: UNUSUAL REACTION HAZARD: none OSHA FIRE HAZARD CLASS: Not applicable 4. REACTIVITY DATA STABILITY: Stable INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID: None known. HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur. HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

1345 December 03, 1997	PAGE	3
5. ENVIRONMENTAL INFORMATION		
SPILL RESPONSE: Not applicable.	X	
RECOMMENDED DISPOSAL: Dispose of waste product in a sanitary landfill.		
ENVIRONMENTAL DATA: Not determined.		
REGULATORY INFORMATION: Volatile Organic Compounds: 0 %. VOC Less H2O & Exempt Solvents: 0 %.		
Since regulations vary, consult applicable regulations or authoriti before disposal.	.es	
EPCRA HAZARD CLASS: FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: No CHRONIC: N	Io	
6. SUGGESTED FIRST AID		
EYE CONTACT: No need for first aid is anticipated.		
SKIN CONTACT: No need for first aid is anticipated.		
INHALATION: No need for first aid is anticipated.		
IF SWALLOWED: No need for first aid is anticipated.		
7. PRECAUTIONARY INFORMATION		
EYE PROTECTION: Not applicable.		
SKIN PROTECTION: Not applicable.		
RECOMMENDED VENTILATION: Not applicable.		
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Appro	 ximate	

MSDS: 3M ELECTRICAL TAPE 1170, 1181, 1182, 1183, 1190, 1194, 1245, 1267,

MSDS: 3M ELECTRICAL TAPE 1170, 1181, 1182, 1183, 1190, 1194, 1245, 1267, 1345

December 03, 1997 PAGE 4

7. PRECAUTIONARY INFORMATION (continued)

RESPIRATORY PROTECTION:

Avoid breathing of thermal decomposition products. Avoid breathing of dust created by cutting, sanding or grinding. Select one of the following NIOSH approved respirators based on airborne concentration of contaminants and in accordance with OSHA regulations: half-mask dust respirator.

PREVENTION OF ACCIDENTAL INGESTION:

Wash hands after handling and before eating.

RECOMMENDED STORAGE:

Store at temperature and conditions as recommended on product literature.

FIRE AND EXPLOSION AVOIDANCE:

Not applicable.

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
ACRYLIC POLYMER	NONE	NONE	NONE	NONE	
METAL BACKING (Al, Cu, Sn coated					
Cu, or Cu coated polyester fabric).	NONE	NONE	NONE	NONE	

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

Eye contact is not expected to occur during normal use of the product.

SKIN CONTACT:

No adverse health effects are expected from skin contact.

INHALATION:

Health effects from inhalation are not expected unless the product is over heated and decomposition occurs.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M ELECTRICAL TAPE 1170, 1181, 1182, 1183, 1190, 1194, 1245, 1267, 1345

December 03, 1997

8. HEALTH HAZARD DATA (continued)

Dust from cutting, grinding, sanding or machining may cause irritation of the respiratory system.

IF SWALLOWED:

Ingestion is not a likely route of exposure to this product.

OTHER HEALTH HAZARD INFORMATION:

This product, when used under reasonable conditions or in accordance with the 3M directions for use, should not present a health and safety hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

SECTION CHANGE DATES

SECTION CHANGED SINCE June 20, 1997 HEADING

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.